

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L2	29548	valve adj stem	USPAT; US-P GPUB ; DERW ENT	2004/10/05 12:05	
2	BRS	L3	5317	2 and transmit\$3	USPAT; US-P GPUB ; DERW ENT	2004/10/05 12:06	
3	BRS	L4	364	(adjust\$3 modify\$3 variable versatile) near3 valve adj stem	USPAT; US-P GPUB ; DERW ENT	2004/10/05 12:52	
4	BRS	L5	8	4 and (tire tyre)	USPAT; US-P GPUB ; DERW ENT	2004/10/05 12:02	
5	BRS	L6	3139	valve adj stem.ti.	USPAT; US-P GPUB ; DERW ENT	2004/10/05 12:05	
6	BRS	L7	122	6 and transmit\$3	USPAT; US-P GPUB ; DERW ENT	2004/10/05 12:06	
7	BRS	L8	6	7 and (adjust\$3 modify\$3 variable versatile) near3 valve adj stem	USPAT; US-P GPUB ; DERW ENT	2004/10/05 12:06	

	Error Definition	Er ro rs
1		0
2		0
3		0
4		0
5		0
6		0
7		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L9	52	6 and (adjust\$3 modify\$3 variable versatile) near3 valve adj stem	USPA T; US-P GPUB ; DERW ENT	2004/10/0 5 12:39	
9	IS&R	L10	4	(("6375158") or ("5183069") or ("5080575") or ("2866658")).PN.	USPA T	2004/10/0 5 12:48	
10	IS&R	L11	2	(("6055855") or ("5844131")).PN.	USPA T	2004/10/0 5 12:52	
11	BRS	L12	1	(adjust\$3 modify\$3) near3 angle near3 valve adj stem	USPA T; US-P GPUB ; DERW ENT	2004/10/0 5 12:53	
12	BRS	L13	2	(adjust\$3 modify\$3) near4 angle near3 valve adj stem	USPA T; US-P GPUB ; DERW ENT	2004/10/0 5 12:54	
13	BRS	L14	3	(adjust\$3 modify\$3) near4 angle near4 valve adj stem	USPA T; US-P GPUB ; DERW ENT	2004/10/0 5 13:00	
14	BRS	L15	2	(adjust\$3 modify\$3) near5 angle near5 valve adj stem	USPA T; US-P GPUB ; DERW ENT	2004/10/0 5 12:56	
15	BRS	L16	29	(adjust\$3 modify\$3) with angle with valve adj stem	USPA T; US-P GPUB ; DERW ENT	2004/10/0 5 12:56	

	Error Definition	Er ro rs
8		0
9		0
10		0
11		0
12		0
13		0
14		0
15		0